

KARTAR[®]

An ISO 9001 Company

"Controlling fluids is our expertise" 



Price List of

	Page No.
❖ CAST IRON & DUCTILE IRON VALVES (K500)	03
❖ HIGH PRESSURE VALVES	06
❖ CAST IRON & DUCTILE IRON AIR VALVES (K540)	07
❖ GUN METAL (BRONZE) & BRASS VALVES (K600)	09
❖ BUTTERFLY & CHECK VALVES (K700)	10
❖ CAST IRON & SS BALL VALVES (K800)	12
❖ DUCTILE IRON FITTINGS ISI MARK IS : 9523	13
❖ FLANGE OUTER DIMENSIONS	14

PRICE LIST NO. : KV/36
W.E.F 01-04-2021



an ISO 9001 Company

Welcome to
KARTAR[®]
V A L V E S

Since 1972, we are manufacturing world class valves & fittings, with our satisfied customer base spread all over the world. Our state-of-the-art machine shop ensures best quality and consistency of machined parts.



"Controlling fluids is our expertise" 

Controlling fluids is our expertise

KARTAR®

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



IBR
APPROVED

PRICE LIST NO. : KV / 36 C.I./D.I.

PRICE LIST OF CAST IRON & DUCTILE IRON PRODUCTS

W.E.F 01-04-2021

Item Code	CAST IRON SLUICE VALVE FLANGED ENDS STEM OF SS(AISI410) & BRONZE (GUN METAL) WORKING PARTS IS : 14846																
	TYPE PD	OPERN.	Pn RATING	'KARTAR' MARKED													
				50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K501	Non-Rising	CAP	1.0	4160	4955	5920	8065	9880	11985	21210	30990	39040	69995	84745	99430	164760	190565
K502		H/W	1.0	4265	5135	6130	8275	10230	12385	22060	31640	39710	71230	86030	100915	167280	193065
K503		CAP	1.6	4485	5360	6390	8685	10675	12925	22885	33145	41780	75055	91525	107350	222390	257355
K504		H/W	1.6	4605	5545	6615	8930	11045	13360	23635	33860	42485	76380	92905	108980	225855	260715
K505	Rising Spindle (AS PER IS)	H/W	1.0	5555	6680	7970	10765	13310	16120	28690	41140	51630	92285	111835	131200	225820	260640
K506		H/W	1.6	5985	7200	8600	11610	14370	17370	30715	44005	55245	98965	120765	141680	293580	338940
K507	GEAR (Box Type)			12095						15120				20490			
K508	GEAR (Bevel Type)			6050			7105			NA							

Item Code	D.I. SLUICE VALVE FLANGED ENDS, STEM OF SS (AISI 410), G.M. WORKING PARTS IS : 14846 WITH CAP/HAND WHEEL (WITH BLUE EPOXY PAINT)																
	TYPE PD	Pn RATING	'KARTAR' MARKED (Metal Seated Valves)														
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
K509	Non-Rising	1.6	5555	6690	7990	10790	13335	16155	30955	44425	55740	107120	129370	151810	285065	329035	
K510	Rising Spindle	1.6	7220	8690	10375	14020	17340	20995	40230	57780	72445	139240	168265	197340	370590	427800	

Item Code	D.I. RESILIENT (SOFT) SEATED GATE VALVE WITH POCKET LESS BODY, SS STEM (AISI 410), EPDM COATED DI WEDGE 100% VACCUM TIGHT DESIGN WITH TOROIDAL SEALING RINGS & OVER 250 MICRON EPOXY COATING IN PN 16 DESIGNED TO BS:5163/IS:14846 NON-RISING STEM TYPE WITH HAND WHEEL OPERATION																		
	TYPE	Pn RATING	'KARTAR' (Resilient Seated Valves)																
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm			
K511	Non-Rising	16	4110	4960	5915	7965	9870	11895	21125	35700	53635	89900	127600	162700	255900	355500			
K511 R	Rising	16	4950	5970	7120	9590	11885	14320	25430	42970	64560	116870	165880	211510	332670	462150			
K511 G	GEAR		14325						25790				31070						
K511	TYPE	Pn RATING	700mm				800mm				900mm				1000mm				
			Non-Rising	1.0	735500	1099500	1695500	2355500											
K511 G	GEAR		WITH GEAR																



Item Code	CAST IRON SLUICE VALVE FLANGED ENDS GLAND LESS TYPE IS : 14846-2000 ALT-I WITH SS 410 STEM & GM WORKING PARTS												
	TYPE ALT-I	OPERN.	Pn RATING	'KARTAR'									
				50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	
K512	Non-Rising Type	CAP	1.0	5240	6265	7470	10175	12490	15110	26780	39145	49315	
K513		H/W	1.0	5555	6585	7790	10570	12895	15520	27585	40260	50440	

1. ADD 8% FOR PN 1.6 PRESSURE RATING.

ADDITIONAL CHARGES FOR EXTRA'S

- | | |
|---|--|
| 1. 10% EXTRA FOR SLUICE VALVE WITH FORGED BRASS STEM. | 6. 5% EXTRA FOR POSITION INDICATOR, MINIMUM 500/- NET (Only available with H/W) |
| 2. 5% EXTRA FOR STEM (AISI-202) & 10% for (AISI-304). | 7. 10% EXTRA FOR SCREWED BODY & SEAT RINGS. |
| 3. 15% EXTRA FOR BODY & SEAT IN SS. | 8. 25% EXTRA ON THESE RATES FOR EXTERNAL BYE PASS ARRANGEMENT |
| 4. 5% EXTRA FOR AIR TESTING | 9. 2% EXTRA CHARGE FOR BYE PASS HOLES WITH THREAD & PLUG. |
| 5. 5% EXTRA FOR BACK SEAT ARRANGEMENT. | 10. 5% EXTRA FOR SLUICE VALVE WITH GLANDLESS DESIGN (ONLY APPLICABLE ON NON-RISING STEM) |

FOR DRILLINGS OTHER THAN IS : 1538 SEE TABLE ON LAST PAGE

Item Code	CAST IRON NON RETURN (REFLUX) VALVES, FLANGED ENDS IN SWING TYPE DESIGN IS:5312 PART-1															
	'KARTAR'  MARKED															
	SEAT	PN	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	
K514	RUBBER	1.0	3250	4050	5055	6465	9665	11245	22045	32815	42495	73775	88275	103780	186100	
K515	GUN METAL	1.0	3430	4270	5365	6790	10110	11840	22695	34130	43875	77460	92695	108970	186100	
Add 20% for Epoxy Coating on These Valves.																
Add 5% Extra for Normal Blue Paint on These Valves.																
Item Code	DUCTILE IRON NON RETURN (REFLUX) VALVES, FLANGED ENDS IN SWING TYPE DESIGN IS:5312 PART-1 (WITH BLUE EPOXY PAINT)															
	'KARTAR'  MARKED															
	SEAT	PN	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	
K516	RUBBER	1.6	3540	4395	5455	8045	10455	12915	23660	35180	45585	94310	106895	150895	287375	
K517	GUN METAL	1.6	3720	4620	5735	8360	10780	13565	24345	36630	47070	99280	112515	158835	287375	
Item Code	DUCTILE IRON RESILIENT SEATED NON-RETURN VALVE, FLANGED END IN SWING TYPE DESIGN WITH EPDM ENCAPSULATED DOOR AND WITH OVER 250 MICRON EPOXY COATING															
	'KARTAR'															
	SEAT	PN	50mm			80mm			100mm			150mm			200mm	
K517 D	RUBBER	1.6	3900			5800			8900			13900			24900	
Item Code	CAST IRON FOOT VALVES FLANGED ENDS SWING TYPE OPERATION WITH RUBBER SEAT AS PER IS :4038															
	'KARTAR'															
	DISC	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm						
K518	SINGLE	2225	2560	3340	5450	8265	9975	-----	-----	-----						
K519	DOUBLE	-----	-----	-----	-----	-----	-----	-----	24765	35110	49845					
Item Code	DUCTILE IRON BALL TYPE CHECK VALVES (NRV) FLANGED END IN PN 16 (WITH EPOXY COATING)															
	'KARTAR'															
	50mm	65mm	80mm	100mm	150mm	200mm										
K520	2690	3390	3790	5890	12290	22690										
Item Code	DUCTILE IRON BALL TYPE FOOT VALVES FLANGED END IN PN 10 (WITH EPOXY COATING)															
	'KARTAR'															
	50mm	65mm	80mm	100mm	150mm	200mm										
K521	2690	3390	3790	5890	12290	22690										
Item Code	CAST IRON FLANGED Y TYPE STRAINERS WITH SS MESH IN PN 1.0															
	'KARTAR'															
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm			
K527	2331	2960	3110	4815	7640	9440	19205	28220	39760	-----	-----	-----	-----			
ADD 5% FOR PN 1.6 PRESSURE RATING																
Item Code	DUCTILE IRON FLANGED Y TYPE STRAINERS WITH SS MESH IN PN 1.6 (WITH EPOXY PAINT)															
	'KARTAR'															
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm			
K527 D	-----	-----	2790	4190	-----	7990	16490	-----	-----	-----	-----	-----	-----			
*K527D AVAILABLE IN DUCTILE IRON ONLY (IN DEVELOPMENT WILL BE REGULARLY AVAILABLE IN MARCH 2021)																
Item Code	CAST IRON FLANGED T TYPE STRAINERS WITH SS MESH IN PN 1.0															
	'KARTAR'															
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm			
K528	2205	2750	3315	4755	6735	8890	19205	24130	33170	61495	66355	88900	129030			
ADD 5% FOR PN 1.6 PRESSURE RATING																
K530*. CAST IRON FIRE HYDRANT AS PER IS : 909 FIG. 1A (COMPLETE) 80mm (Sluice Valve , Duck Foot Bend, Riser, Coupling + Cap, Chain, Nut Bolt & Rubber Packing)											RS. 11800					
K531*. CAST IRON FIRE HYDRANT AS PER IS : 909 FIG. 1B											RS. 6615					
K532. STAND POST (Single Outlet)											RS. 13030					
K533. CAST IRON FIRE HYDRANT AS PER BS:750 (Type-2)											RS. 7980					
(ALL FIRE HYDRANTS & STAND POSTS WITH C.I. COUPLING)																

Item Code	THREE PHASE MULTI TURN STAY PUT ELECTRICAL ACTUATOR FOR NON RISING STEM SLUICE VALVES AND RESILIENT SEATED GATE VALVES				
	‘KARTAR’				
	50mm to 150mm	200mm to 300mm	350mm & 400mm	450mm	500mm & 600mm
K534	95400	105500	163800	185500	235600

Note : This Excludes cost of Valves.

Item Code	EXTENSION STEM FOR NON-RISING SLUICE VALVES & RGV’S INCLUDING FIXING COUPLER, OPERATIVE STEM, OUTER HOUSING AND CAP.						
	‘KARTAR’						
		50mm to 80mm	100mm to 150mm	200mm to 300mm	350mm & 400mm	450mm	500mm & 600mm
K535	For First 1 mtr. or Part	8500	10500	15500	21500	25500	29500
	For Each Additional 1 mtr. or Part	3550	5550	7550	8550	9550	11550

Note : This Excludes cost of Valves.

Item Code	SUPERVISORY SWITCH ARRANGEMENT ON SLUICE VALVE & RGV’S					
	‘KARTAR’					
K536			RISING STEM		NON - RISING STEM	
	UL	UL / FM APPROVED	34500		44500	
	NON - UL	NON - UL / FM	15500		25500	

Note : This Excludes cost of Valves.

SPARES

Item Code	Item Name	‘KARTAR’													
		50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
KCI-S1	Hand Wheel	360	360	360	630	630	630	1060	1660	1660	4415	4415	4700	4700	4980
KCI-S2	Cap	230	230	230	250	250	250	310	360	360	905	905	905	1040	1040
KCI-S3	SS Stem & GM Nut	840	840	840	1340	1340	1480	2640	3675	4000	5985	7365	9190	10170	10590
KCI-S4	Nut & Bolt + 2 Washers for One Flange of IS:1538	215	215	215	440	440	440	440	955	955	1260	1260	1580	3135	3135
KCI-S5	Flange Rubber Gasket	27	37	39	54	77	92	171	261	302	445	595	759	1286	1722
KCI-S6	*M.S. Flange (Single)16mm	(Price on Request)													
KCI-S6A	*M.S. Flange (Single)20mm														
KCI-S7-G	Complete Flap for G.M. NRV Includes Lever, Door, Hinge Pin Complete.	685	855	1070	1360	2020	2365	4540	6815	8980	(Price on Request)				
KCI-S7-R	Complete Flap for Rubber NRV Includes Lever, Door, Hinge Pin Complete.	650	815	980	1280	1945	2260	4405	6565	8495					

* M.S. Flanges are bought out item, So we cannot assure as per standard. Please confirm Dimensions before placing order.

Controlling fluids is our expertise

KARTAR[®]
AN ISO 9001 COMPANY

Extra Strong

ISO 9001:2008
BSI
British Standards
CERTIFIED CO.

LS
MARKED

IBR
APPROVED

PRICE LIST NO. : KV / 36 H.P.V.

W.E.F 01-04-2021

PRICE LIST OF HIGH PRESSURE VALVES

These products are made to order. So get confirmation before accepting order.



SLUICE VALVE FLANGED ENDS, STEM OF SS(AISI 410) & BRONZE (GUN METAL) WORKING PARTS IS : 14846 WITH HANDWHEEL OPERATION

Salient Feature :

- 36 Months Guarantee
- Can be installed Vertically, Horizontally, Open end or in any direction.
- Suitable for fire fighting lines with full pressure
- Design & thickness similar to those given in IS:780

Item Code	PN Rating	BODY	'KARTAR'			
			80mm	100mm	150mm	200mm
K504-X	1.6	C.I.	7135	10080	14505	26415
K504-XX	2.0	D.I.	8565	12125	17455	31695
K504-XXX	2.5	D.I.	9790	13855	19945	36225

DUCTILE IRON FLANGED Y TYPE STRAINERS WITH SS MESH IN PN 2.0

'KARTAR'					
Item Code	BODY	80mm	100mm	150mm	200mm
K527-X	D.I.	3210	4820	9190	18965

WAFERTYPE BUTTERFLY VALVES WITH INTEGRALLY MOULDED LINER OF NITRILE OR EPDM. D.I./S.S. DISC WITH STEM SS 410, LEVER OPERATED AS PER IS : 13095 IN PN 2.0 IN DIRECT ACTUATOR MOUNTABLE DESIGN

'KARTAR'											
Item Code	BODY	DISC	WITH LEVER						WITH GEAR		
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
K701-XS	D.I.	S.S.	2370	2700	3065	3815	4765	5255	15080	21690	27390
K701-XD	D.I.	D.I.	2165	2485	2810	3500	4180	4535	11600	16620	21820

COMPACT WAFER TYPE D.I. CHECK VALVES PN 2.0

'KARTAR'								
Item Code	BODY	50mm	65mm	80mm	100mm	125mm	150mm	200mm
K710-X	D.I.	990	1160	1500	1985	2665	3490	4830

DUAL PLATE CHECK VALVES WITH NITRILE/EPDM SEAT, STAINLESS STEEL SHAFT & SPRINGS IN PN 2.0

'KARTAR'								
Item Code	BODY	50mm	65mm	80mm	100mm	125mm	150mm	200mm
K711-X	D.I.	1515	1725	2340	3280	5545	5970	9995

ADD 25% FOR FLANGED INSTEAD OF WAFER TYPE.

Controlling fluids is our expertise

KARTAR[®]
AN ISO 9001 COMPANY

ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



IBR
APPROVED

PRICE LIST NO. : KV / 36 A.V.

W.E.F 01-04-2021

PRICE LIST OF AIR VALVES

 K541 & K542	 K543 & K544 SCREWED	 K543 & K544 FLANGED	 K547 & K548
 K549	K553 & K554	K555 & K556	K545

AIR VALVES

Item Code	CAST IRON DOUBLE ORIFICE KINETIC AIR VALVE ISI MARKED IS:14845 TYPE DK IN PN1.0 FLANGED END						
	FLOATS	'KARTAR' (ISI MARKED)					
		40mm	50mm	80mm	100mm	150mm	200mm
K541	RUBBER	4945	5820	8575	13435	24975	46595
K542	SS	6705	7670	11335	17330	31320	63880


1. ADD 5% FOR PN 1.6 PRESSURE RATING.

Item Code	CAST IRON SINGLE ORIFICE AIR VALVE ISI MARKED IS:14845 TYPE S1 & S2 IN PN1.0 SCREWED ENDS					
	FLOATS	'KARTAR' (ISI MARKED)				
		15mm	20mm	25mm	40mm	50mm
K543	RUBBER	4475	4475	4475	4730	5455
K544	SS	5435	5435	5435	5895	5895

1. ADD 5% FOR PN 1.6 PRESSURE RATING. 2. ADD 20% FOR FLANGED ENDS. 3. ADD 30% ON K544 FOR TAMPER PROOF IN D.I. BODY

Item Code	CAST IRON DOUBLE ORIFICE KINETIC AIR VALVE ISI MARKED IS:14845 TYPE DK IN PN1.0 FLNGED END + ISOLATING SLUICE VALVE ISI MARKED + BEVEL GEAR.						
	FLOATS	'KARTAR' (ISI MARKED)					
		40mm	50mm	80mm	100mm	150mm	200mm
K545	RUBBER	14630	15530	20080	28055	43740	80070
K546	SS	16920	17880	23380	32545	50590	98200

1. ADD 8% FOR PN 1.6 PRESSURE RATING.

Item Code	TAMPER PROOF DOUBLE ORIFICE KINETIC AIR VALVE ISI MARKED IS:14845 TYPE DK WITH STAINLESS STEEL FLOATS AND RAL 5005 BLUE EPOXY COATING.							
	'KARTAR'  MARKED							
	MOC	PN	40mm	50mm	80mm	100mm	150mm	200mm
K547	C. I.	1.0	7290	8600	12640	19825	36840	60065
K548	D. I.	1.6	9475	11185	16435	26750	51590	90095
1. ADD 5% on C. I. Body for PN 1.6 PRESSURE RATING								
Item Code	DUCTILE IRON SINGLE CHAMBER, DOUBLE ORIFICE, TRIPPLE ACTION AIR VALVE WITH SS FLOATS AND WORKING PARTS AND FUSION BONDED EPOXY COATING IN PN 16							
	BEND	'KARTAR'						
		40mm	50mm	80mm	100mm	150mm	200mm	
K549	WITH	7025	7565	10805	12970	25945	36760	
Item Code	CAST IRON DOUBLE ORIFICE AIR VALVE IS:14845 TYPE DS1 IN PN1.0 FLANGED END WITH INBUILT ISOLATING VALVE							
	FLOATS	'KARTAR'						
		40mm	50mm	80mm	100mm	150mm		
K553	RUBBER	6010	7070	10425	16340	30370		
K554	SS	7375	8440	12465	19070	34460		
1. ADD 5% FOR PN 1.6 PRESSURE RATING.								
Item Code	CAST IRON DOUBLE ORIFICE AIR VALVE IS:14845 TYPE DS2 IN PN1.0 FLANGED END WITH PROVISION FOR INBUILT ISOLATING VALVE							
	FLOATS	'KARTAR'						
		40mm	50mm	80mm	100mm	150mm		
K555	RUBBER	5465	6430	9475	14850	27610		
K556	SS	6705	7670	11335	17330	31320		
1. ADD 5% FOR PN 1.6 PRESSURE RATING.								
Item Code	SPARES BALLS FOR AIR VALVES							
	FLOATS	'KARTAR'						
		40mm	50mm	80mm	100mm	150mm	200mm	
K541 - SBR	RUBBER	SMALL BALL	290	290	570	1035	2860	2860
		LARGE BALL	570	570	570	1035	5670	17325
K549 - SBS	SS	1220	1220	1640	2405	7195	7195	
Item Code	D. I. SINGLE CHAMBER COMPACT AIR VALVE SCREWED ENDS IN PN 16							
	'KARTAR'							
			15mm	20mm	25mm			
K550	Without ISOLATION BALL VALVE		875	875	875			
	With ISOLATION BALL VALVE		1285	1350	1450			

Controlling fluids is our expertise

KARTAR®

AN ISO 9001 COMPANY

ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 36 G.M.

W.E.F 01-04-2021

PRICE LIST OF GUN METAL (BRONZE) & BRASS PRODUCTS

						
G.M. Gate Valve	G.M. Horizontal Check Valve	G.M. Vertical Check Valve	G.M. Globe Valve	Bronze PRV	Forged Brass PRV	Forged Brass Ball Valve
K601	K602	K603	K604	K607	K608	K611

GUN METAL (BRONZE) & BRASS PRODUCTS

GUN METAL (BRONZE) GATE, GLOBE & CHECK VALVES IS : 778/1980 CL-1										
Item Code	'KARTAR'									
		15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K601	GATE VALVE SCREWED	595	830	1155	1780	2365	3665	5795	8880	17265
K602	CHECK VALVE HORIZONTAL	455	700	1050	1600	2275	3335	5410	7355	15480
K603	CHECK VALVE VERTICAL	305	520	695	1110	1310	2055	3445	6080	10855
K604	GLOBE / WHEEL VALVE	595	830	1180	1805	2415	3700	5860	8970	17415
K604-E	GLOBE / WHEEL VALVE No.-4	445	605	970	1295	1925	3070	-----	-----	-----
K605	GATE VALVE FLANGED	2310	2860	4550	6840	7950	10040	17510	24220	41805
K606	GLOBE VALVE FLANGED	2310	2860	4550	6840	7950	10040	17510	24220	41805

PRESSURE REDUCING VALVE (PISTON TYPE) FOR PLUMBING APPLICATIONS										
Item Code	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	
K607	BRONZE BODY	2460	3295	5335	6790	8005	13330	19315	25110	
K608	FORGED BRASS BODY	1255	1420	2250	3560	4610	6920	14380	17845	

BALL VALVES SCREWED WITH SS /BRASS BALL & SPINDLE AND TEFLON SEATS										
Item Code	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K609	GUN METAL BODY (Tested to 500 Psi)	480	605	855	1510	2090	3230	-----	-----	-----

BRASS BALL VALVES SCREWED FULL BORE WITH BRASS BALL & SPINDLE AND TEFLON SEATS WITH CHROME PLATED										
Item Code	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K611	BRASS FORGED BODY (PN 1.6) FB Chrome Plated.	330	475	745	1295	1835	2685	5475	9465	14840

BRASS FORGED BALL VALVE WITH INBUILT STRAINER PN 1.6										
Item Code	'KARTAR'									
	15mm	20mm	25mm	32mm	40mm	50mm				
K614	RATES ON REQUEST									

BRASS FORGED BALANCING VALVE PN 1.6										
Item Code	'KARTAR'									
	15mm	20mm	25mm	32mm	40mm	50mm				
K615	RATES ON REQUEST									

G. M. SPRING LOADED AIR RELEASE VALVE										
Item Code	'KARTAR'									
	15mm	20mm	25mm							
K616	990	1350	2050							

Controlling fluids is our expertise

KARTAR®

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



IBR
APPROVED

PRICE LIST NO. : KV / 36 BFLY

W.E.F 01-04-2021

PRICE LIST OF BUTTERFLY & CHECK VALVES

Item Code	WAFERTYPE BUTTERFLY VALVES IN C.I. BODY WITH INTEGRALLY MOULDED LINER OF NITRILE OR EPDM. STAINLESS STEEL DISC & STEM, LEVER OPERATED AS PER IS : 13095 IN PN 1.0 IN DIRECT ACTUATOR MOUNTABLE DESIGN																
	DISC	'KARTAR' (S) MARKED											WITH GEAR BOX ONLY				
		25mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K701	CF8 (304)	1610	1815	1890	2150	2450	3040	3800	4190	8135	12620	17160	27690	36720	45765	92250	116055
K701D	Ductile Iron	-----	-----	1730	1980	2240	2795	3335	3615	-----	-----	-----	-----	-----	-----	-----	-----
K702	CF8M (316)	1850	2090	2170	2475	2830	3760	4370	4810	9355	15775	21450	37370	49570	61775	124520	156670
K701N	CF8 (304)	-----	-----	1830	2085	2370	2950	3685	4060	K701N and K702N are New Designs with Two Lugs on Body.							
K702N	CF8M (316)	-----	-----	2115	2395	2740	3650	4240	4660								

* SS DISC UPTO 200mm ARE INVESTMENT CASTED AND ABOVE THAT FABRICATED. * ADD 10% ON THESE FOR LUG TYPE VALVES (UP TO 200 mm ONLY) ONLY APPLICABLE ON K701 & K702.

Item Code	REPLACEABLE LINER WAFER TYPE BUTTERFLY VALVE IN C.I. BODY, SS DISC & STEM, LEVER OPERATED IS : 13095 IN DIRECT ACTUATOR MOUNTABLE DESIGN IN NITRILE/EPDM LINER IN PN 1.0							
	DISC	'KARTAR' (S) MARKED						
		50mm	65mm	80mm	100mm	125mm	150mm	200mm
K703	CF8 (304)	2080	2370	2690	3345	4180	4610	8960
K704	CF8M (316)	2390	2725	3115	4145	4815	5295	10300
K705	Spare Liner Nitrile/EPDM	610	690	800	985	1285	1365	2750

Item Code	WAFERTYPE BUTTERFLY VALVES (SLIMLINE RANGE) BODY CAST IRON, DISC SG IRON, STEM SS 410, LINER EPDM/NITRILE, LEVER OPERATED																
	DISC	'KARTAR' (SLIM LINE) (S) MARKED											WITH GEAR BOX ONLY				
		25mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K706	D.I.	1090	1250	1420	1615	1865	2280	2760	3035	5520	8835	13105	25505	34070	42160	80995	102365
K707	CF8 (304)	1270	1430	1625	1855	2140	2635	3415	4230	8615	13370	18180	29335	38900	48410	97735	122950

* LEVER IS RECOMMENDED UPTO 200mm., BUT AVAILABLE UPTO 300mm. ABOVE THAT RATES ARE WITH GEAR
ADD 5% ON THESE FOR PN 1.6 RATING UP TO 300 mm & 10% ABOVE THAT.

Item Code	WAFER TYPE CAST IRON BUTTERFLY VALVE WITH (SG IRON) DISC, EPDM LINER, SS STEM AND LEVER OPERATED PN 1.0							
	DISC	'KARTAR' (AQUALINE) (S) MARKED						
		40mm	50mm	65mm	80mm	100mm	125mm	150mm
K706A	D.I.	1090	1255	1435	1605	1960	2515	2865
K707A	S.S.	1275	1460	1670	1880	2305	3215	4030

ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING.

Item Code	GEAR FOR BUTTERFLY VALVES	
	25mm to 200mm	250mm to 300mm
K709	3890	4670


(ALL RATES ABOVE 300MM ARE WITH GEAR)

Item Code	COMPACT WAFER TYPE D.I. CHECK VALVES PN 1.0															
	DOORS	'KARTAR'														
	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
K710	M.S.	-----	-----	-----	-----	-----	2060	2700	3735	6990	10535	15800	19900	25990	39900	55900
K710 S	S.S.	675	765	900	1160	1535	-----	3245	-----	-----	-----	-----	-----	-----	-----	-----

ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING.

Item Code	DUAL PLATE CHECK VALVES WITH NITRILE/EPDM SEAT, STAINLESS STEEL SHAFT & SPRINGS																
	'KARTAR'																
	DESIGN	PN	WAFER TYPE							FLANGED TYPE							
	BODY AND DOOR		50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
K711	BODY C.I. AND DOORS D.I.	1.0	1205	1375	1865	2620	4420	4755	7970	22980	28180	49280	73870	-----	-----	-----	
K711 S	BODY C.I. AND DOORS S.S.	1.0	1450	1650	2325	3280	-----	6050	10360	PRICES ON REQUEST							
K712	BODY AND DOORS DUCTILE	1.6	1875	2125	2885	4050	6825	7345	12310	35535	43570	76205	114220	115500	154500	199900	
K712 S	BODY D.I. AND DOORS S.S.	1.6	2120	2395	3345	4710	8120	8640	14690	PRICES ON REQUEST							

ADD 25% FOR FLANGED INSTEAD OF WAFER TYPE. ● ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING IN C.I. BODY VALVES.

Item Code	WAFERTYPE BUTTERFLY VALVES IN CAST STEEL BODY WITH INTEGRALLY MOULDED LINER OF NITRILE OR EPDM. STAINLESS STEEL DISC & STEM, AS PER IS : 13095 PN 2.5 DIRECT ACTUATOR MOUNTABLE DESIGN													
	'KARTAR'  MARKED													
	DISC	PN	25mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	
K713	CF8 (304)	25	2520	2520	2520	2870	3265	4060	5070	5600	10865	16855	22920	

Item Code	DOUBLE FLANGED CENTRE LINE TYPE BUTTERFLY VALVE WITH D.I. BODY, SS-410 STEM, EPDM LINER AND WITH GEAR IN PN 1.0							
	'KARTAR'							
	DISC	80mm	100mm	125mm	150mm	200mm	250mm	300mm
K714	D.I.	8290	10400	14570	17200	24500	35650	53800
K715	SS 304	8790	10950	15270	17950	27500	40650	59800

Item Code	DOUBLE FLANGED, DOUBLE ECENTRIC DISC, BUTTERFLY VALVES WITH BODY & DISC OF D.I., EPDM SEALS, SS-410 SHAFT, GEAR OPERATED IN PN 1.6									
	'KARTAR'									
	350mm	400mm	450mm	500mm	600mm	700mm	800mm	900mm	1000mm	
K716	156500	193800	217500	265500	378500	526500	645500	824500	1155500	

Item Code	PNEUMATIC ACTUATOR FOR BUTTERFLY VALVES																
	'KARTAR'																
	ACTUATOR	PN	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K717	DOUBLE ACTING	1.0	8980	8980	8980	8980	14230	14230	16330	21525	PRICES ON REQUEST						
K718	SINGLE ACTING	1.0	15310	15310	15310	18430	18430	18430	18430	27195							

* We do not manufacture actuators, We bought out source & Supply.


Item Code	ON-OFF TYPE QUARTER TURN ROTARY ELECTRICAL ACTUATOR FOR BUTTERFLY VALVES					
	'KARTAR'					
	TYPE	40mm to 150mm	200mm to 300mm	350mm to 400mm	450mm	500mm & 600mm
K719-3P	415 V, 3 PHASE	72950	77950	82950	99950	115950
K719-1P	220 V, SINGLE PHASE	24495	67950	-----	-----	-----

Item Code	SUPERVISORY SWITCH ARRANGEMENT WITH POSITION INDICATOR		
	'KARTAR'		
	INSTALLATION		
K720 UL	UL / FM APPROVED	34500	ONLY WITH GEAR
K720 NON - UL	NON - UL / FM	3650	LEVER / GEAR BOTH

Note : This Excludes cost of Valves & Gear Box.



K714 -K715



K715



K717

Controlling fluids is our expertise

KARTAR[®]

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.




IBR
APPROVED

PRICE LIST NO. : KV / 36 BV

W.E.F 01-04-2021

PRICE LIST OF BALL VALVES

Item Code	CAST IRON BALL VALVES WITH TEFLON SEALS, STAINLESS STEEL BALL & STEM, MS LEVER WITH PVC COATING AS PER IS : 9890 ISI MARKED									
		'KARTAR'  MARKED								
	TYPE	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K801	SCREWED 2PC DESIGN	325	395	495	880	1060	1580	3460	5080	8990
K802	FLANGED 3PC DESIGN	945	1140	1380	1945	2295	3180	5480	6485	12165
Item Code	INVESTMENT CASTED STAINLESS STEEL BALL VALVE (WOG 1000) RATING WITH STAINLESS STEEL BALL, PTFE SEALS AND STAINLESS STEEL HANDLE									
		'KARTAR'								
	TYPE	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K804	SCREWED 2 PC.	540	695	990	1495	1950	3130	-----	-----	-----
Item Code	STAINLESS STEEL BALL VALVE WITH INVESTMENT CASTED BODY & ALL MACHINED FLANGE WITH S.S. BALL, PTFE SEALS AND S.S. HANDLE									
		'KARTAR'								
	TYPE	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K808	FLANGED 3 PC. CL-150 DESIGN	1500	1890	2420	4005	4825	6760	8905	11875	19225



'KARTAR' ISI MARKED														
ITEMS	SIZE	50mm	80mm	100mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
FLANGE SPIGOT(TP)			1220	1470	2340	3355	5140	6990	9990	12710	15980	25055	35945	
FLANGE SOCKET			1080	1260	2290	2955	4310	5770	8905	11265	13985	18955	30500	
BLANK FLANGE			695	695	1210	1740	2675	3785	6180	7995	11265	18520	29410	
END CAP			805	855	1465	2675	3625	3940	9265	11805	14715			
END PLUG			475	800	1590	2370	3310	5045	8720	10530	13075			
COLLAR				1740	2520	3940	5670	7405						
D/S BEND 90°			1390	1630	2790	4980	7240	11705	16345	20885	27230	41390		
D/S BEND 45°			1390	1515	2375	4190	6580	8470	11805	15440	19975			
D/S BEND 22 1/2°			1190	1360	2240	3215	5545	7535	9990	12345	15980			
D/S BEND 11 1/4°			1090	1360	2240	3075	5115	6460	9990	11265	13985			
ALL SOCKET TEE	80 x 80 x		1675											
ALL SOCKET TEE	100 x 100 x		2100	2200										
ALL SOCKET TEE	150 x 150 x		3240	3440	3765									
ALL SOCKET TEE	200 x 200 x		4930	5130	5260	5870								
ALL SOCKET TEE	250 x 250 x		6300	6490	7390	8490	9390							
ALL SOCKET TEE	300 x 300 x			9355	11205	12700	12700	13700						
ALL SOCKET TEE	350 x 350 x							18520	19070					
ALL SOCKET TEE	400 x 400 x							19975		24515				
ALL SOCKET TEE	450 x 450 x						23600	26325			29960			
Y TEE	100 x 100 x			3050										
Y TEE	150 x 150 x			5030	5630									
D/S TAPER	100 x		1350											
D/S TAPER	150 x		2250	2250										
D/S TAPER	200 x			3250	3550									
D/S TAPER	250 x			3990	4410	6480								
D/S TAPER	300 x			6480	6480	6480	6480							
D/S TAPER	350 x						8920	8920						
D/S TAPER	400 x								10895					
D/S TAPER	450 x									12710				
D/F BEND 90°			1705	2035	3495	5590	9290	12990						
DUCK FOOT BEND			2575	3025	5680	8250								
A/F TEE	80 x 80 x	2375	2545											
A/F TEE	100 x 100 x	2790	3055	3230										
A/F TEE	125 x 125 x	3055												
A/F TEE	150 x 150 x	4525	4755	4755	5290									
A/F TEE	200 x 200 x	7290	7490	7490	7800	7800								
D/F TAPER	100 x		1530											
D/F TAPER	150 x		2385	2385										
D/F TAPER	200 x			3830	3730									
D/F TAPER	250 x				5090	5425								
D/F TAPER	300 x					6790	7465							
F.H./ AIR VALVE TEE	40 x		2050	2680	3000									
F.H./ AIR VALVE TEE	50 x		2050	2365	3190	5195	6610							
F.H./ AIR VALVE TEE	80 x		2210	2410	3230	4765	6810	9310	10530	13075	15620			
F.H./ AIR VALVE TEE	100 x			3190	4095	4835	7090	9310	11625	13620	16710			
M/J COLLAR			2250	2720	4210	5610	7810	9990	14525	18400	23240	35580	46255	
Leak Repair Clamps					(Price on Request)									
FLANGES (PN 10)		50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	
		600	600	600	650	810	985	1335	2035	2580	3475	4370	4965	
FLANGES (PN 10)		500mm	600mm	700mm	750mm	800mm	900mm	1000mm	1100mm	1200mm				
		6080	8485	12620	15275	16915	20540	26955	39645	45180				
RUBBER GASKET														
SIZE			80mm	100mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
NATURAL			100	125	156	200	305	395	500	550	770	920	1110	
EPDM			160	180	255	385	585	730	910	985	1230	1540	2100	

Note :- This is Price List For ISI Marked, D.I. Fittings As Per IS:9523, We Make No Commitment For Weights As IS:9523 Does Not Specify Any Weights.

Controlling fluids is our expertise

KARTAR[®]

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



IBR
APPROVED

FLANGE OD TABLE

W.E.F 01-04-2021

Flange Outer Diameters (OD) as per different standards (All dimensions in mm)

SIZE	IS:1538 & IS:14846	IS : 9523		TABLE	TABLE	TABLE	TABLE	CL 150
		PN 1.0	PN 1.6	D	E	F	H	
50mm	165	NA	NA	152	152	165	165	150
65mm	185	NA	NA	165	165	184	184	180
80mm	200	200	200	184	184	203	203	190
100mm	220	220	220	216	216	229	229	230
125mm	250	250	250	254	254	279	279	255
150mm	285	285	285	279	279	305	305	280
200mm	340	340	340	337	337	368	368	345
250mm	395	395	400	406	406	432	432	405
300mm	445	445	455	457	457	489	489	485
350mm	505	505	520	527	527	552	552	535
400mm	565	565	580	578	578	610	610	595
450mm	615	615	640	641	641	673	673	635
500mm	670	670	715	705	705	737	737	700
600mm	780	780	840	826	826	851	851	815

Our standard flanges are as per IS:1538. For flanges/drillings other than IS:1538
 * Add 3% for drilling where flanged OD is less than or equal to flange OD as per IS:1538.
 * Add 10% for drilling where flange OD is more than flange OD as per IS:1538.

Note : All orders where flange OD needs to be ammended are subject to our prior confirmation before order due to quantity and casting constraints.

KARTAR®

AN ISO 9001 CERTIFIED COMPANY

IS : 16018



CM/L : 9700157615

IS : 15683



CM/L : 9700157522



Complete Range of
Fire Extinguishers

India's most Admired Brand

AVAILABLE NOW

TERMS & CONDITIONS :

1. This cancels our all previous issues.
2. All prices are Ex. works, Jalandhar.
3. GST will be charged extra as applicable (presently @18%).
4. Any other levies/taxes if applicable will be charged extra.
5. All orders subject to the confirmation by the head office, Jalandhar.
6. We are not be responsible for any damage/ breakage, theft & shortage material received by the consignee in transit. but we can arrange insurance at the cost of consignee before dispatch.
7. We can arrange 3rd party inspection at our works, but inspection charges will be borne by the consignee.
8. Prices are subject to change without prior notice.
9. All disputes subject to Jalandhar Jurisdiction.



LIQUID | GAS | STEAM | FIRE

KARTAR[®]
Valves • Fittings • Castings

Authorised Stockist :

Manufacturers :

Kartar Valves Pvt. Ltd. (INDIA)

www.kartarvalves.com

